

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
3M CHINA CO LTD (MH45276) China					
3M Brand 7816	multiple	100	-40	Yes	Yes
3M Brand 7868	multiple	80	-40	Yes	Yes
3M Brand 7871	multiple	80	-40	Yes	Yes
3M Brand 7872	multiple	80	-40	Yes	Yes
57802, 57802XX	multiple	80	-	Yes	No
57817, 57817XX	multiple	60	-40	Yes	Yes
3M COMPANY (MH16411) United States					
3M Brand 5770, 5770FL, 5770NF, 5770XX	multiple	150	-40	Yes	Yes
3M Brand 5771, 5771FL, 5771NF, 5771FL, 5771NSL, 5771XX	multiple	150	-40	Yes	Yes
3M Brand 5772, 5772FL, 5772NF, 5772XX	multiple	150	-40	Yes	Yes
3M Brand 5773	multiple	150	-40	Yes	Yes
3M Brand 5774, 5774FL, 5774NF	multiple	150	-40	Yes	Yes
3M Brand 5775, 5775F, 5775FH, 5775FL, 5775NF, 5775XX	multiple	150	-40	Yes	Yes
3M Brand 5776, 5776FL, 5776NF, 5776XX	multiple	150	-40	Yes	Yes
3M Brand 5778, 5778F, 5778FL, 5778NF	multiple	150	-40	Yes	Yes
3M Brand 5779, 5779F, 5779NF, 5779FL	multiple	150	-40	Yes	Yes
3M Brand 5780, 5780F, 5780NF, 5780FL, 5780XX	multiple	150	-40	Yes	Yes
3M Brand 5784, 5784FL, 5784NF	multiple	150	-29	Yes	No
3M Brand 5785NF	multiple	150	-40	Yes	No
3M Brand 5788, 5788XX, 5788LC, 5788F, 5788FLLC, 5788FL, 5788NF, 5788NFLC	multiple	150	-40	Yes	Yes
3M Brand 5789, 5789LC, 5789F, 5789FLC, 5789NF, 5789NFLC, 5789FL, 5789FLLC, 5789XX	multiple	150	-40	Yes	Yes
3M Brand 5790, 5790LC, 5790F, 5790FLC, 5790FL, 5790FLLC, 5790NF, 5790NFLC	multiple	150	-40	Yes	Yes
3M BRAND OFM360(L)	multiple	150	-29	Yes	Yes
3M Brand 7041	multiple	150	-29	Yes	Yes
3M Brand 7042	multiple	100	-40	Yes	Yes
3M Brand 7220SA(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7222(f)(h)	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
3M COMPANY (MH16411) United States					
3M Brand 7323F(f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7331(f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7350(g)(h)	multiple	80	-40	Yes	Yes
3M Brand 7381(g)(h)	multiple	100	-40	Yes	Yes
3M Brand 7744, 7744FL	Polyester	125	-40	Yes	Yes
3M Brand 7810	multiple	150	-40	Yes	Yes
3M Brand 7813	multiple	150	-40	Yes	Yes
3M Brand 7814	multiple	150	-40	Yes	No
3M Brand 7815, 7815FL	multiple	80	-40	Yes	Yes
7816 (f)(i)	multiple	100	-40	Yes	Yes
7816XX(f)(i), 7816FL(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7817(f)(i)	multiple	80	-40	Yes	Yes
3M Brand 7818	multiple	150	-40	Yes	Yes
3M Brand 7819(f)(i)	multiple	80	-40	Yes	Yes
3M Brand 7830(f)	multiple	150	-40	Yes	Yes
3M Brand 7860(f)(h), 7860FL(f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7861(g)(h)	multiple	80	-40	Yes	Yes
3M Brand 7863 (f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7865 (f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7866(g)(h), 3M Brand 7381(g)(h)	multiple	150	-40	Yes	Yes
3M Brand 7867 (f)(h)	multiple	150	-40	Yes	Yes
3M Brand 7868(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7871(f)(i)(j), 7871FL(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7871XX(f)(i)(j)	multiple	60	-40	Yes	Yes
3M Brand 7872(f)(i)(j)	multiple	100	-40	Yes	Yes
3M Brand 7872FL(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7873(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7874, 7874FL	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
3M COMPANY (MH16411) United States					
3M Brand 7875(f)(i)	multiple	150	-40	Yes	Yes
3M Brand 7876(g)(i)	multiple	150	-40	Yes	Yes
3M Brand 7879FL, 7879XX	multiple	80	-	Yes	No
3M Brand 7886	multiple	80	-	Yes	No
3M Brand 7907	multiple	150	-40	Yes	Yes
3M Brand 7908(f)(i), 7908FL(f)(i)	multiple	150	-40	Yes	Yes
Scotchcal Brand Films 3690E(e), 3690-906E	multiple	150	-40	Yes	Yes
Scotchcal Brand Films 3692E, 3692-1802EDL	multiple	150	-40	Yes	Yes
Scotchcal Brand Films 3698E(e)	multiple	150	-40	Yes	Yes
3M WROCLAW SP Z O O (MH18072) Poland					
3M Brand 7813	multiple	150	-40	Yes	Yes
3M Brand 7815	multiple	80	-40	Yes	Yes
3M Brand 7816y	multiple	100	-40	Yes	Yes
3M Brand 7818	multiple	80	-40	Yes	Yes
Scotchcal Brand 3690A(n), 3690B(n), 3690E(n), 3690SE(n), 3690E DSL(n),	multiple	60	-40	Yes	Yes
3M Brand 3680E	multiple	80	-40	Yes	Yes
Scotchcal Brand Films 3690-1403, 3690-906E(p)	multiple	60	-40	Yes	Yes
Scotchcal Brand Films 3692E(p)	multiple	60	-40	Yes	Yes
Scotchcal Brand 3692-1802ADL(p), 3692-1802BDL(p), 3692-1802EDL(p), 3692-1802E(p)	multiple	60	-40	Yes	Yes
Scotchcal Brand 3698A(n), 3698B(n), 3698E(n), 3698SE(n), 3698E DSL(n)	multiple	60	-40	Yes	Yes
ABBOTT LABEL INC (MH27854) United States					
AB7815	multiple	100	-40	Yes	Yes
AB7816	multiple	100	-40	Yes	Yes
AB8001, AB8001B	multiple	80	-	Yes	Yes
AB8003B	multiple	80	-	Yes	Yes
AB8005B	multiple	80	-	Yes	Yes
AL62264-95A	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
A & D LABELS INC (MH17721) United States					
AD10010A	multiple	100	-	Yes	No
ADAMPAK LTD (MH19300) Singapore					
ADAMPAK 104	multiple	80	-	Yes	No
ADAMPAK 104A	multiple	150	-40	Yes	No
ADAMPAK 110	multiple	150	-40	Yes	No
ADAMPAK 112	multiple	150	-40	Yes	No
ADAMPAK 114	multiple	150	-40	Yes	No
ADAMPAK 116	multiple	150	-40	Yes	No
ADAMPAK 117	multiple	150	-40	Yes	No
ADAMPAK 137(a)	multiple	150	-40	Yes	No
ADAMPAK 20D	multiple	60	-40	Yes	No
ADAMPAK 24A	multiple	80	-40	Dry	No
Adampak 26B	multiple	150	-40	Yes	No
ADAMPAK 56	multiple	150	-40	Yes	No
ADAMPAK 59	multiple	150	-40	Yes	No
ADAMPAK 59A	multiple	150	-40	Yes	No
ADAMPAK 60	multiple	150	-40	Yes	No
Adampak 60A	multiple	80	-40	Yes	No
ADAMPAK 67B	multiple	100	-40	Yes	No
ADAMPAK 75	multiple	60	-40	Yes	No
ADAMPAK 77	multiple	150	-40	Yes	No
ADAMPAK 81	multiple	150	-40	Yes	No
ADAMPAK 87	multiple	150	-40	Yes	Yes
ADVANCED LABELWORX INC (MH14992) United States					
ALI Therm WP	multiple	100	-40	Yes	Yes
ALI-COMP TT	multiple	100	-	Yes	No

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
AIDENT CORP SDN BHD (MH27592) Malaysia					
AGTT 1	multiple	150	-40	Yes	No
AGTT 2	multiple	125	-40	Yes	No
AGTT 5	multiple	80	-40	Yes	No
AGTT 8	multiple	80	-40	Yes	No
AGTT 21	multiple	100	-40	Yes	No
AVERY DENNISON MATERIALS EUROPE B V (MH27538) Netherlands					
69150 / AL170	multiple	150	-40	Yes	Yes
Fasson Transfer PET matt trans / AL170	multiple	150	-40	Yes	Yes
69250 / AL170	multiple	150	-40	Yes	No
69350 / AL170	multiple	150	-40	Yes	No
Transfer PET matt wh / AL170	multiple	150	-	Yes	No
Transfer PET matt silver / AL170	multiple	150	-	Yes	No
Fasson Transfer PET matt white / AL170	multiple	150	-40	Yes	No
Fasson Transfer PET matt silver / AL170	multiple	150	-40	Yes	No
Transfer PET 75 matt silver / S8015	multiple	150	-40	Yes	No
Transfer PET 75 Matt Silver / S8049,	multiple	80	-40	Yes	Yes
Transfer PET 75 Matt Silver / S8039	multiple	80	-40	Yes	Yes
Transfer PET 75 matt white / AL170,	multiple	150	-	Yes	No
Transfer PET 75 matt silver / AL170	multiple	80	-40	Yes	No
Transfer PET 75 matt white / S8015	multiple	150	-40	Yes	No
Transfer PET 75 matt white / S8030	multiple	80	-	Yes	No
S8030, Transfer PET 75 matt silver / S8030	multiple	80	-	Yes	No
Transfer PET 75 Matt White / S8049	multiple	150	-	Yes	Yes
Transfer PET 75 Matt White / S8039	multiple	150	-	Yes	Yes
Transfer PET matt wh / S8015	multiple	150	-40	Yes	Yes
Transfer PET matt silver / S8015	multiple	150	-40	Yes	Yes
Transfer PET matt wh/S333	multiple	80	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
AVERY DENNISON MATERIALS EUROPE B V (MH27538) Netherlands					
Transfer PET matt silver/S333	multiple	80	-40	Yes	Yes
Transfer PET matt wh/S8020	multiple	150	-40	Yes	Yes
Transfer PET matt silver/S8020	multiple	150	-40	Yes	Yes
Transfer PET Matt White / S8001	multiple	150	-40	Yes	Yes
Transfer PET Matt Silver / S8001	multiple	150	-40	Yes	Yes
Transfer PET matt white / S8030	multiple	150	-40	Yes	No
Transfer PET matt silver / S8030	multiple	150	-40	Yes	No
Transfer PET Matt White / S8049	multiple	100	-	Yes	Yes
Transfer PET Matt White / S8039	multiple	100	-	Yes	Yes
AWT Labels & Packaging (MH25626) United States					
Web Therm 100, Web Therm 100-W	multiple	150	-40	Yes	Yes
AZUR ADHESIFS (MH28805) France					
Azur Silvergloss	multiple	150	-40	Yes	Yes
BADGER TAG & LABEL CORP (MH25189) United States					
BTL 231	multiple	150	-40	Yes	Yes
Boxon Systems AB (MH45626) Sweden					
BEAB Material No. 110	multiple	150	-40	Yes	Yes
BEAB Material No. 49	multiple	80	-	Yes	Yes
BEAB Material No. 91	multiple	150	-40	Yes	Yes
Brady Corp Asia Pte Ltd (MH25991) Singapore					
Unique Label II	multiple	150	-40	Yes	Yes
Unique Label III	multiple	100	-40	Yes	Yes
Unique Label IV	multiple	150	-40	Yes	Yes
Unique Label VII	multiple	150	-40	Yes	Yes
Unique Label IX	multiple	125	-20	Yes	Yes
Brady Corp Asia Pte Ltd (MH25991) Singapore					
CCL-6000, CCL-6000B	multiple	100	-	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
Brady Corp Asia Pte Ltd (MH25991) Singapore					
CCL-6200, CCL-6200B	multiple	80	-	Yes	Yes
CCL DESIGN GMBH (MH29606) Germany					
Transfer PET matt wh/S8020	multiple	150	-40	Yes	Yes
CELLOTAPE INC (MH17267) United States					
Thermal Print White-Repo	multiple	100	-	Dry	No
CHICAGO TAG & LABEL INC (MH18271) United States					
PTTP I	multiple	150	-40	Yes	Yes
Rating Plate Label	multiple	150	-40	Yes	Yes
Thermal Transfer Tamper Indicating Labeling System	multiple	150	-40	Yes	Yes
CINTA PLAST S A (MH27852) Spain					
CP-7815, CP-7815FL, CP-7818	multiple	100	-40	Yes	Yes
CP-7817	multiple	60	-40	Yes	Yes
CP-7871, CP-7871FL, CP-7872, CP-7872F	multiple	150	-40	Yes	Yes
CYMMETRIK ENTERPRISE CO LTD (MH18369) Taiwan					
CM-100-WPPT	multiple	80	-	Yes	No
DESIGN MARK INDUSTRIES INC (MH18619) United States					
DM74-6MW, DM74-6MP, DM74-6MW, DM74-6MP	multiple	125	-	Yes	No
DIVERSIFIED LABELING SOLUTIONS INC (MH25350) United States					
SMT+60	multiple	60	-40	Yes	Yes
SMT+61	multiple	150	-40	Yes	Yes
SMT+62	multiple	60	-	Yes	No
SMT+63	multiple	150	-40	Yes	No
SMT+64	multiple	150	-40	Yes	No
WMT+81	multiple	150	-40	Yes	No
WMT+82	multiple	150	-40	Yes	No
WMT+83	multiple	150	-40	Yes	No
WMT+84	multiple	150	-40	Yes	No

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
DIVERSIFIED LABELING SOLUTIONS INC (MH25350) United States					
SMT-60	multiple	150	-40	Yes	Yes
SMT-61	multiple	150	-	Yes	Yes
SMT-62	multiple	80	-	Yes	No
SMT-63	multiple	100	-	Yes	No
SMT-64	multiple	100	-	Yes	No
WMT-80	multiple	150	-40	Yes	Yes
WMT-81	multiple	150	-	Yes	No
WMT-82	multiple	100	-	Yes	No
WMT-83	multiple	100	-	Yes	Yes
WMT-84(a)	multiple	60	-	Yes	Yes
DONGGUAN SUNWAY PRINTING INDUSTRY CO LTD (MH45936) China					
SW-006	multiple	150	-40	Yes	Yes
DRG TECHNOLOGIES INC, DBA IMPRESSIVE LABELS & SUPERFAST LABEL SERVICE (MH13446) United States					
TM06MM72, TM06MM72a	multiple	150	-40	Yes	No
TM11MC01	multiple	80	-29	Yes	Yes
TM11MC02	multiple	80	-29	Yes	Yes
TM11MC04	multiple	80	-29	Yes	Yes
DRG TECHNOLOGIES INC, DBA IMPRESSIVE LABELS & SUPERFAST LABEL SERVICE (MH13446) United States					
TM11MC30	multiple	80	-29	Yes	Yes
TM11MC31	multiple	80	-29	Yes	Yes
TM11MC33	multiple	80	-29	Yes	Yes
TM11MC10	multiple	80	-29	Yes	Yes
TM11MC11	multiple	80	-29	Yes	Yes
TM11MC13	multiple	80	-29	Yes	Yes
TM11MMS30	multiple	150	-29	Yes	Yes
TM11MMS31	multiple	150	-29	Yes	Yes
TM11MMS33	multiple	150	-29	Yes	Yes
TM11MW01	multiple	100	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
DRG TECHNOLOGIES INC, DBA IMPRESSIVE LABELS & SUPERFAST LABEL SERVICE (MH13446) United States					
TM11MW02	multiple	100	-40	Yes	Yes
TM11MW04	multiple	100	-40	Yes	Yes
TM11MW02-G	multiple	100	-40	Yes	Yes
TM11MW04-G	multiple	100	-40	Yes	Yes
TM11MW30	multiple	80	-	Yes	No
TM11MW31	multiple	80	-	Yes	No
TM11MW33	multiple	80	-	Yes	No
TM12F, TM12F-11, TECHmark 12F-11	multiple	150	-40	Yes	Yes
TM13MM72-F, TM13MM72-S	multiple	60	-40	Yes	No
TM 16, TM 16A, TM16F, TM 16F-11	multiple	60	-40	Yes	Yes
TM11MMW04	multiple	150	-40	Yes	Yes
TM97MMW04	multiple	150	-40	Yes	Yes
DURATECH INDUSTRIES (MH11686) United States					
FX3M7231ML	multiple	100	-29	Yes	Yes
FX3M7813ML	multiple	80	-40	Yes	Yes
FX3M7874ML	multiple	100	-40	Yes	Yes
FX7231ML	multiple	80	-	Yes	No
FX7813ML	multiple	125	-40	Yes	Yes
DURATECH INDUSTRIES (MH11686) United States					
FX7874ML	multiple	125	-40	Yes	Yes
WPE2ML	multiple	100	-40	Yes	Yes
EIS INC - FABRICO DIV (MH46494) United States					
EIS 7871, EIS 7871FLXX	multiple	150	-40	Yes	Yes
EIS 7971FL	multiple	150	-40	Yes	Yes
EIS7908, EIS 7908FL	multiple	150	-40	Yes	Yes
EIS 7872, EIS 7872FL	multiple	100	-40	Yes	Yes
EIS 7873	multiple	100	-40	Yes	Yes
EIS 7876	multiple	100	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
ENTROCOMPONENT SOLUTIONS L L C (MH46556) United States					
Entro01, Entro01B	multiple	80	-40	Yes	No
ESON PAC SWEDEN AB (MH16431) Sweden					
S-509, S-509-S	multiple	150	-40	Yes	Yes
S-510, S-511, S-512	multiple	150	-40	Yes	Yes
S-511	multiple	150	-40	Yes	Yes
S-512	multiple	150	-40	Yes	Yes
S-513, S-513F S-513-S	multiple	125	-29	Yes	Yes
S-514, S-514F, S-514S	multiple	125	-29	Yes	Yes
S-516	multiple	100	-40	Yes	Yes
S-517, S-517S	multiple	150	-40	Yes	Yes
S-518, S-518S	multiple	100	-	Yes	No
S-519	multiple	150	-40	Yes	Yes
S-520, S-520S	multiple	100	-40	Yes	Yes
ETIKETTENDRUCK FOERSTER GMBH & CO KG (MH45157) Germany					
0250 FA-TT Polyesterfoil white gloss (b)	multiple	80	-40	Yes	No
Polyesterfoil 7818/2 silver matte	multiple	80	-	Yes	Yes
ETIQUETAS DOMINGO S L (MH27771) Spain					
7816	multiple	150	-40	Yes	Yes
7818	multiple	100	-40	Yes	Yes
FLEXIKET A/S (MH29311) Denmark					
Flexiket 415.50, Flexiket 415.50B	multiple	150	-40	Yes	Yes
Flexiket 416.50, Flexiket 416.50B	multiple	80	-	Yes	Yes
Flexiket 418.50, Flexiket 418.50B	multiple	150	-40	Yes	No
Flexiket 470.50, Flexiket 470.50B	multiple	150	-40	Yes	Yes
Flexiket 482.50, Flexiket 482.50B	multiple	150	-40	Yes	Yes
Flexiket 490.50, Flexiket 490.50B	multiple	100	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
FRITZ BRUNNHOFER GMBH (MH26146) Germany					
3690-1403 +B3M	multiple	100	-40	Yes	Yes
FB3690SE(n)	multiple	100	-40	Yes	Yes
FB3698SE(n)	multiple	100	-40	Yes	Yes
GM NAMEPLATE INC (MH26063) United States					
Mark*Cal 42B(a), Mark*Cal 42(a)	multiple	80	-	Yes	No
Mark*Cal 43B(a), Mark*Cal 43(a)	multiple	80	-	Yes	Yes
Mark*Cal 44B, Mark*Cal 44F	multiple	80	-	Yes	No
Mark*Cal 44D	multiple	150	-40	Yes	Yes
Mark*Cal 53	multiple	80	-40	Yes	Yes
GRAVIC SA (MH29516) France					
GF PP3 and GF PP4	multiple	80	-40	Yes	Yes
GFPP 5	multiple	80	-40	Yes	Yes
GRAVIC SA (MH29516) France					
3690E and 3698E	multiple	100	-40	Yes	Yes
5771	multiple	150	-40	Yes	Yes
I D IMAGES L L C (MH46258) United States					
IDI-M101	multiple	150	-40	Yes	Yes
IDI-M102	multiple	100	-40	Yes	Yes
INNOVIZE INC (MH26546) United States					
GML-350, GML-350B	multiple	150	-40	Yes	Yes
PO300TT	multiple	80	-	Yes	No
ITW LABELS, DIV OF ILLINOIS TOOL WORKS (MH29760) United States					
CLP-100	multiple	100	-	Yes	No
CLP-101	multiple	100	-	Yes	No
CLP-102	multiple	100	-	Yes	No
Impresos RTM S A de C V (MH61031) Mexico					
RT-690EVB3	multiple	60	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
Impresos RTM S A de C V (MH61031) Mexico					
RT-871PB3	multiple	150	-40	Yes	Yes
RT-876PT3	multiple	60	-40	Yes	Yes
JIAN SHENG PRINTING CO LTD (MH28093) China					
JS-01TT	multiple	100	-	Yes	No
JS-02TT	multiple	100	-40	Yes	No
JS-03TT	multiple	150	-40	Yes	No
JS-04TT	multiple	150	-40	Yes	No
JS-05TT	multiple	100	-40	Yes	Yes
JMD ETIQUETTES (MH47003) France					
JMD C002	multiple	150	-40	Yes	No
JMD C277	multiple	150	-40	Yes	Yes
KUNSHAN DAVID PRINTING TECHNOLOGY CO LTD (MH28277) China					
DP-300	multiple	80	-	Yes	No
DP-301	multiple	80	-40	Yes	No
DP-303	multiple	80	-40	Yes	No
DP-304	multiple	80	-40	Yes	No
LABEL MAKER INC (MH25540) United States					
LM018, LM18P	multiple	150	-40	Yes	Yes
LM019, LM019P	multiple	150	-40	Yes	Yes
LM020, LM020P	multiple	150	-40	Yes	Yes
LLM021, LLM021P	multiple	150	-40	Yes	Yes
LM022, LM022P	multiple	150	-40	Yes	Yes
LM023, LM023P	multiple	150	-40	Yes	Yes
LM024, LM024P	multiple	150	-40	Yes	Yes
LM025, LM025P	multiple	150	-40	Yes	Yes
LABEL WORKS (MH61115) United States					
61057	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
LABEL WORKS (MH61115) United States					
61057B	multiple	150	-40	Yes	Yes
61059, 61059S	multiple	100	-40	Yes	Yes
61059B	multiple	80	-	Yes	Yes
61071, 61071B	multiple	150	-40	Yes	Yes
LASER PRINTING INDUSTRIES PTE LTD (MH19778) Singapore					
LP-02	multiple	150	-40	Yes	Yes
LP-16	multiple	80	-40	Yes	No
LP-16A	multiple	100	-	Yes	No
LP-17	multiple	120	-40	Yes	No
LP-17A	multiple	140	-	Yes	No
LP-18	multiple	120	-40	Yes	No
LP-31	multiple	150	-40	Yes	No
LP-33	multiple	60	-40	Yes	No
LP-34	multiple	80	-40	Yes	No
LEGACY LABEL INC (MH19363) United States					
LL-25, LL-25S	multiple	150	-40	Yes	Yes
LL-26, LL-26S	multiple	150	-40	Yes	Yes
LOFTON LABEL INC (MH25174) United States					
LL7810B, LL7810, LL7810W2	multiple	150	-40	Yes	Yes
LL7813, LL7813W2	multiple	80	-40	Yes	Yes
LL7815, LL7815W2, LL7815FL, LL7815FLW2	multiple	100	-40	Yes	Yes
LL7816, LL7816W2, LL7816FL, LL7816FLW2	multiple	100	-40	Yes	Yes
LL7817, LL7817W2	multiple	100	-40	Yes	Yes
LL7818, LL7818W2	multiple	100	-40	Yes	Yes
LL7860, LL7860W2, LL7860FL, LL7860FLW2	multiple	150	-40	Yes	Yes
LL7861, LL7861W2	multiple	125	-40	Yes	Yes
LL7863, LL7863W2	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
LOFTON LABEL INC (MH25174) United States					
LL7864	multiple	80	-40	Yes	Yes
LL7865, LL7865W2	multiple	60	-40	Yes	Yes
LL7866	multiple	80	-40	Yes	No
LL7867, LL7867W2	multiple	150	-40	Yes	Yes
LL7871, LL7871FL	multiple	80	-40	Yes	Yes
LL7872, LL7872FL	multiple	80	-40	Yes	Yes
LL7875, LL7875W2	multiple	100	-40	Yes	Yes
LNV9515	multiple	100	-	Yes	No
LNV9516	multiple	150	-40	Yes	No
LLNV9517	multiple	100	-	Yes	No
MAQUILADORA GRAFICA MEXICANA S A DE C V (MH46144) Mexico					
MGMEX 302	multiple	125	-40	Yes	No
MGMEX 304	multiple	150	-40	Yes	No
MGMEX 306	multiple	100	-40	Yes	No
MARATHON LABELS INC (MH29855) United States					
Dura-LSE-mmm-TT-B	multiple	150	-40	Yes	Yes
Dura-RTS-LSE-TT-B	multiple	60	-40	Yes	No
Dura-TT-B	multiple	150	-40	Yes	Yes
MCCOURT LABEL CABINET CO (MH25551) United States					
MCC9	multiple	100	-	Yes	No
NEUHAUS AG (MH29384) Switzerland					
7810	multiple	150	-40	Yes	Yes
POL-M-1000WM	multiple	150	-40	Yes	Yes
NORRIS PRINT-TECH A/S (MH27707) Denmark					
Clear 7861	multiple	125	-40	Yes	Yes
Silver 7818	multiple	150	-40	Yes	Yes
Silver-Extra Permanent	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
NORRIS PRINT-TECH A/S (MH27707) Denmark					
White 3690E	multiple	100	-40	Yes	Yes
Gray 3690-906E	multiple	100	-40	Yes	Yes
Silver 3698E	multiple	100	-40	Yes	Yes
PESA LABELING SYSTEMS INC (MH48793) United States					
MD006	multiple	150	-40	Yes	Yes
PHOENIX CONTACT GMBH & CO KG (MH48542) Germany					
830540/00	multiple	80	-	Yes	Yes
830541/00	multiple	80	-	Yes	Yes
830542/00	multiple	80	-	Yes	Yes
830543/00	multiple	80	-	Yes	Yes
830544/00	multiple	80	-	Yes	Yes
830545/00	multiple	80	-	Yes	Yes
830546/00	multiple	80	-	Yes	Yes
830547/00	multiple	80	-	Yes	Yes
830548/00	multiple	80	-	Yes	Yes
830549/00	multiple	80	-	Yes	Yes
830550/00	multiple	80	-	Yes	Yes
830551/00	multiple	80	-	Yes	Yes
PC-023	multiple	60	-40	Yes	Yes
REPACORP INC (MH25732) United States					
RLP-105-HT	multiple	150	-40	Yes	Yes
RLP-106-T	multiple	150	-40	Yes	Yes
R R DONNELLEY & SONS CO (MH16296) United States					
BSC-SPOLY-TT	multiple	80	-40	Yes	No
Data ZSP-4AR	multiple	80	-	Yes	No
Data ZSP-4A, Data ZSP-4B	multiple	60	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
R R DONNELLEY & SONS CO (MH16296) United States					
Data-ZWP-4A-R	multiple	100	-	Yes	No
Data-ZWP-4A, Data-ZWP-4B	multiple	100	-40	Yes	Yes
Data-ZWP-5A-R	multiple	100	-40	Yes	Yes
Data-ZWP-5A, Data-ZWP-5B	multiple	100	-40	Yes	Yes
WCS 1217, WCS 1217-B	multiple	60	-40	Yes	Yes
WCS 1217-R	multiple	100	-40	Yes	Yes
Rutschi AG (MH25739) Switzerland					
3690E	multiple	100	-40	Yes	Yes
3698E	multiple	100	-40	Yes	Yes
7816	multiple	100	-40	Yes	Yes
7818	multiple	150	-40	Yes	Yes
SERVCAMP - ACABAMENTOS GRAFICOS LTDA - EPP (MH46699) Brazil					
"White Polyester II" - sem laminação	multiple	80	-40	Yes	Yes
SETIKET A/S (MH16820) Denmark					
C51, C51U	multiple	150	-40	Yes	No
C52, C52U	multiple	100	-	Yes	No
C54, C54U	multiple	100	-40	Yes	No
C55, C55U	multiple	100	-40	Yes	No
C56, C56U	multiple	100	-40	Yes	No
C57U, C57	multiple	60	-40	Yes	No
C572	multiple	150	-40	Yes	Yes
C573	multiple	150	-40	Yes	Yes
C582	multiple	150	-40	Yes	Yes
SHENZHEN JING FENG PRINTING CO LTD (MH48296) China					
JF-10	multiple	150	-40	Yes	Yes
SHANGHAI BECORE PAPER MANUFACTURING CO LTD (MH47378) China					
HT-POLYESTER-100	multiple	80	-40	Yes	No

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
SHANGHAI BECORE PAPER MANUFACTURING CO LTD (MH47378) China					
HT-POLYESTER-200	multiple	80	-40	Yes	No
SOUTHERN ATLANTIC LABEL, DBA MULTI COLOR CORP (MH12595) U.S.A					
Bestik 20MSP	multiple	150	-40	Yes	Yes
STAFFORD PRESS INC (MH20904) United States					
IJD	multiple	80	-40	Yes	Yes
STANDARD REGISTER CO (MH16737) United States					
61057	multiple	150	-40	Yes	Yes
61057B	multiple	80	-	Yes	Yes
61059, 61059S	multiple	150	-40	Yes	Yes
61059B	multiple	150	-40	Yes	Yes
61071B, 61071	multiple	100	-	Yes	No
STEVEN LABEL CORP (MH18328) United States					
U111MA	multiple	150	-40	Yes	No
U112MA	multiple	150	-40	Yes	No
SUZHOU ADVANCE PRINTING CO LTD (MH60750) China					
7818	multiple	150	-40	Yes	Yes
TAILORED LABEL PRODUCTS INC (MH16736) United States					
TLP-318	multiple	80	-40	Yes	Yes
TLP-319	multiple	150	-40	Yes	Yes
TLP-320	multiple	150	-40	Yes	Yes
TLP-321	multiple	150	-40	Yes	Yes
TLP-335/TLP-327	multiple	100	-40	Yes	Yes
TLP-336/TLP-327	multiple	125	-40	Yes	Yes
TLP-340	multiple	150	-40	Yes	Yes
TLP-341	multiple	150	-40	Yes	Yes
TLP-344	multiple	150	-40	Yes	Yes
TLP-345	multiple	150	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
TAILORED LABEL PRODUCTS INC (MH16736) United States					
TLP-340/TLP-327	multiple	100	-40	Yes	Yes
TLP-341/TLP-327	multiple	100	-40	Yes	Yes
TLP-344/TLP-327	multiple	100	-40	Yes	Yes
TLP-345/TLP-327	multiple	100	-40	Yes	Yes
TLP-416/TLP-327	multiple	40	-40	Yes	Yes
TLP-790/TLP-327	multiple	125	-40	Yes	Yes
TLP-790B, TLP-790	multiple	80	-40	Yes	Yes
TLP-794B, TLP-794	multiple	60	-40	Yes	Yes
TLP-806/TLP-327	multiple	80	-40	Yes	Yes
TLP-806B, TLP-806	multiple	150	-40	Yes	Yes
TLP-840, TLP-840B	multiple	150	-40	Yes	Yes
TLP-843, TLP-843B	multiple	150	-40	Yes	Yes
TLP-884/TLP-327	multiple	125	-40	Yes	Yes
TLP-884B, TLP-884	multiple	150	-40	Yes	Yes
TLP-897/TLP-327	multiple	125	-40	Yes	Yes
TLP-897	multiple	100	-40	Yes	No
TLP-897B	multiple	80	-	Yes	Yes
TECH TAG & LABEL INC (MH12633) United States					
Polytherm-bright silver	multiple	150	-40	Yes	Yes
Polytherm-gloss white	multiple	150	-40	Yes	Yes
Polytherm-matt silver	multiple	150	-40	Yes	Yes
Polytherm-matte white, Polytherm-gloss white alternate	multiple	150	-40	Yes	Yes
Polytherm-gloss white alternate	multiple	150	-40	Yes	Yes
Polytherm-transparent	multiple	100	-40	Yes	Yes
TOPFLIGHT AB (MH19823) Sweden / TOPFLIGHT CORP (MH25162) U.S.					
TP-910CP	multiple	80	-40	Yes	Yes
TP-916CP	multiple	100	-40	Yes	Yes
TP-917CP	multiple	100	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
THE LABEL PRINTERS LP (MH16583) United States					
LPT10, LPT10-U	multiple	100	-40	Yes	Yes
LPT60-U	multiple	150	-40	Yes	Yes
LPT61-U	multiple	125	-40	Yes	Yes
LPT63-U	multiple	150	-40	Yes	Yes
LPT64-U	multiple	150	-40	Yes	Yes
LPT65U	multiple	150	-40	Yes	Yes
LPT66-U	multiple	100	-40	Yes	No
LPT71	multiple	100	-40	Yes	No
LPT79	multiple	150	-40	Yes	No
TOYO SHO INDUSTRIAL PRODUCTS SDN BHD (MH47500) Malaysia					
TOYO GROUP-02	multiple	60	-40	Yes	No
TPL LABELS LTD (MH20158) United Kingdom					
CP450MU	multiple	100	-40	Yes	Yes
TCP561F	multiple	150	-40	Yes	No
TCP581F	multiple	80	-40	Yes	Yes
TYCO ELECTRONICS CORP (MH17292) United States					
HM	multiple	80	-40	Yes	Yes
HW	multiple	80	-40	Yes	Yes
RM17B, RM17P	multiple	150	-40	Yes	Yes
RM18B, RM18P	multiple	100	-40	Yes	Yes
RM7B, RM7P	multiple	100	-40	Yes	Yes
RM8B, RM8P	multiple	100	-40	Yes	Yes
UPM RAFLATAC OY (MH26760) Finland					
PET gloss white TC50 - RC18	multiple	80	-	Yes	Yes
PET Matt Silver TC 50 -RC18	multiple	80	-	Yes	Yes
PET matt white 60 - RC18	multiple	80	-40	Yes	Yes
PET White TC 50 - RC18	multiple	80	-40	Yes	Yes

UL certified Labels for use with Pelikan T016 Flat Head Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
UPM RAFLATAC OY (MH26760) Finland					
PP White TC 60 - RC18	multiple	80	-40	Yes	No
PP White TC-60 - RP37	multiple	80	-23	Yes	No
VALLEY FORGE TAPE & LABEL CO INC (MH16398) United States					
Custom Trans Mark VI-MT	multiple	125	-40	Yes	No
VALMARK INDUSTRIES INC (MH17265) United States					
VAL-THERM-C	multiple	100	-	Yes	No
VAL-THERM-D	multiple	100	-	Yes	No
WAI GHA INDUSTRIAL CO LTD (MH25635) Taiwan					
WG-7810-MW	multiple	80	-	Yes	No
WG-7816-7878	multiple	100	-40	Yes	Yes
WG-7816-BW	multiple	100	-40	Yes	Yes
WG-7818-MS	multiple	100	-40	Yes	Yes
WG-7871-BW	multiple	100	-40	Yes	Yes
WG-7875-MP	multiple	100	-	Yes	No
WARREN PRINTING & OFFICE PRODUCTS INC (MH45801) United States					
WMS-2	multiple	80	-	Yes	No
WPW	multiple	80	-40	Yes	Yes
WPW-2	multiple	80	-	Yes	Yes
WHITLAM LABEL CO INC (MH17036) United States					
TAS (d)	multiple	150	-40	Yes	Yes
TAS-2 (d)	multiple	150	-40	Yes	Yes
TAW	multiple	150	-40	Yes	Yes
TAW-2 (d)	multiple	150	-40	Yes	Yes
WS PACKAGING GROUP INC (MH14895) United States					
Flexguard 22	multiple	150	-40	Yes	Yes
ZEPHYR CO (PTE) LTD (MH18762) Singapore					
ZP-78	multiple	150	-40	Yes	No

