

UL certified Labels for use with Pelikan T064 Near Edge Wax Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
AVERY DENNISON MATERIALS EUROPE B V (MH27538) Netherlands					
69150 / AL170	multiple	150	-40	Yes	Yes
Fasson Transfer PET matt trans / AL170	multiple	150	-40	Yes	Yes
69250 / AL170	multiple	80	-	Yes	No
69350 / AL170	multiple	80	-	Yes	No
Transfer PET matt wh / AL170	multiple	80	-	Yes	No
Transfer PET matt silver / AL170	multiple	80	-	Yes	No
Fasson Transfer PET matt white / AL170	multiple	80	-	Yes	No
Fasson Transfer PET matt silver / AL170	multiple	80	-	Yes	No
Transfer PET 75 matt silver / S8015	multiple	150	-40	Yes	No
Transfer PET 75 Matt Silver / S8049,	multiple	80	-	Yes	Yes
Transfer PET 75 Matt Silver / S8039	multiple	80	-	Yes	Yes
Transfer PET 75 matt white / AL170,	multiple	80	-40	Yes	No
Transfer PET 75 matt silver / AL170	multiple	80	-40	Yes	No
Transfer PET 75 matt white / S8015	multiple	80	-	Yes	No
Transfer PET 75 matt white	multiple	150	-40	Yes	No
S8030, Transfer PET 75 matt silver / S8030	multiple	150	-40	Yes	No
Transfer PET 75 Matt White / S8049	multiple	150	-40	Yes	Yes
Transfer PET 75 Matt White / S8039	multiple	150	-40	Yes	Yes
Transfer PET matt wh / S8015	multiple	150	-23	Yes	Yes
Transfer PET matt silver / S8015	multiple	150	-23	Yes	Yes
Transfer PET matt wh/S333	multiple	100	-40	Yes	Yes
Transfer PET matt silver/S333	multiple	100	-40	Yes	Yes
Transfer PET matt wh/S8020	multiple	150	-40	Yes	Yes
Transfer PET matt silver/S8020	multiple	150	-40	Yes	Yes
Transfer PET Matt White / S8001	multiple	150	-40	Yes	Yes
Transfer PET Matt Silver / S8001	multiple	150	-40	Yes	Yes
Transfer PET matt white / S8030	multiple	150	-40	Yes	No

UL certified Labels for use with Pelikan T064 Near Edge Wax Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
AVERY DENNISON MATERIALS EUROPE B V (MH27538) Netherlands					
Transfer PET matt silver / S8030	multiple	150	-40	Yes	No
Transfer PET Matt White / S8039	multiple	80	-40	Yes	Yes
Transfer PET Matt White / S8049	multiple	80	-40	Yes	Yes
1M BRSH CH PET TC/S-333	multiple	60	-40	Yes	No
1M BRT CH PET TC/S-333	multiple	60	-40	Yes	No
1M CL PET TC/S-333	multiple	60	-40	Yes	No
1M MAT CH PET TC/S-333	multiple	60	-40	Yes	No
1M WH PET TC/S-333	multiple	60	-40	Yes	No
1M BRSH CH PET TC/S-730	multiple	60	-29	Yes	No
1M CL PET TC/S8020	multiple	150	-	Yes	Yes
2M CL PET TC/S8020	multiple	150	-	Yes	Yes
1M MAT CH PET TC/S-730	multiple	150	-40	Yes	Yes
1M MAT CH PET TC/S-730	multiple	100	-29	Yes	No
1M BRT CH PET TC/S-730	multiple	100	-29	Yes	No
1M BRSH CH PET TC/S-730	multiple	100	-29	Yes	No
2M BRSH CH PET TC/S-730	multiple	150	-40	Yes	Yes
2M BRT CH PET TC/S-730	multiple	150	-40	Yes	Yes
2M CL PET TC/S-730	multiple	150	-40	Yes	Yes
2M BRSH PET TC/S-730	multiple	150	-40	Yes	Yes
2M WH PET TC/S-730	multiple	150	-40	Yes	Yes
2M CL PET TC/S-730	multiple	80	-40	Yes	Yes
2M WH PET TC/S-8001	multiple	80	-40	Yes	Yes
2M MAT CH PET TC/S-8015	multiple	150	-23	Yes	Yes
2M CL PET TC/S-8015	multiple	150	-23	Yes	Yes
2M WH PET TC/S-8015	multiple	150	-23	Yes	Yes

UL certified Labels for use with Pelikan T064 Near Edge Wax Resin

Model Designation	Application Surface	Max Temp(C)	Min Temp(C)	Indoor Use	Outdoor Use
SETIKET A/S (MH16820) Denmark					
C572	multiple	150	-40	Yes	Yes
C582	multiple	150	-40	Yes	Yes
C573	multiple	150	-40	Yes	Yes
SILTA SNC DI G BERTANI & C (MH61969) Italy					
ETICHETTE ADHESIVE PER TELECOMUNICAZIONI	multiple	150	-40	Yes	No
Limo Labels A/S (MH29311) Denmark					
Flexiket 505.55	multiple	150	-40	Yes	Yes
Flexiket 506.55	multiple	80	-40	Yes	Yes
GARREIS Produktausstattung GmbH & Co.KG (MH60640)					
GARREIS GET.pet white GF81	multiple	150	-40	Yes	Yes
PROFI LABEL GMBH & CO. KG (MH49857)					
M-1484	multiple	150	-40	Yes	Yes
MH-1484P	multiple	150	-40	Yes	Yes
TPL LABELS LTD (MH20158) United Kingdom					
TCP540FU	multiple	150	-40	Yes	Yes
TCP540F	multiple	80	-40	Yes	Yes
TCP561F	multiple	150	-40	Yes	No